Hazardous Materials Placarding Requirements





Michael Roberts

HMSAT, Southwest Region 8701 South Gessner Road Suite 900 Houston, TX 77074

Michael.l.roberts@dot.gov



Phone: 832-370-9812

Hazardous
Material
Safety
Assistance
Team





Objectives

- DETERMINE proper PLACARDING requirements for non bulk and bulk shipments.
- IDENTIFY special PLACARDING provisions.
- IDENTIFY some critical PLACARDING exceptions.



Safety Administration



Why Placard?




- Hazard Communication
- Response Mitigation
- Regulatory Requirement





Placarding – Part 172, Subpart F

Each person who offers or transports hazardous materials <u>must</u> comply with the placarding requirements.







Placarding Requirements

Placarding requirements *do not* apply to:

- Small quantities of certain hazard classes
- Limited quantities
- Infectious substances
- Other regulated material (ORM-Ds)
- Combustible liquids in non-bulk packagings
- Materials prepared in accordance with §173.13





Prohibited Placarding

Placards *may not* be displayed on a transport vehicle, portable tank, or freight container *unless*:

- Transported material is a hazardous material
- Placarding represents a hazard of the material
- Placarding conforms to the regulations







General Placarding Requirements

Placard a container or vehicle:

- on each side and each end
- for any quantity of hazardous material

Some exceptions exist based on:

the hazard and quantity present







ID Numbers

3082

ID Numbers may be placed on placards, However this is a "MARKING" Requirement.

Conditions are found in Section

172.332 - 172.338



- Orange Panel
- White Square on Point









When ID Numbers Must Be Used

Non-Bulk Packages if:

- 8,882 LBS of a Single Commodity, loaded at one facility, containing no other materials.
- Except:
 - Class 1, 7, or any other material not requiring ID #s.
 - o Small quantities, LTD QTY's, Combustibles, etc.
- Bulk Packages: (all)
 - 4 Sides if > 1,000 Gallons
 - 2 Sides if < 1,000 Gallons



Safety Administration



Non-Bulk Examples









Bulk Examples



> 1000 Gallons 4 Sides





< 1000 Gallons 2 Sides





Placarding Tables

Placarding Tables 172.504 (e)

TABLE 1

Category of material (Hazard class or division number and additional description, as appropriate)	Placard name	Placard de- sign section reference (§)
1.1	EXPLOSIVES 1.1	172.522
1.2	EXPLOSIVES 1.2	172.522
1.3	EXPLOSIVES 1.3	172.522
2.3	POISON GAS	172.540
4.3	DANGEROUS WHEN WET	172,548
 (Organic peroxide, Type B, liquid or solid, tempera- ture controlled). 	ORGANIC PEROXIDE	172.552
 6.1 (material poisonous by inhalation (see § 171.8 of this subchapter)). 	POISON INHALATION HAZARD	172.555
7 (Radioactive Yellow III label only)	RADIOACTIVE 1	172.556

¹ RADIOACTIVE placard also required for exclusive use shipments of low specific activity material and surface contaminated objects transported in accordance with § 173.427(b)(4) and (5) or (c) of this subchapter.

TABLE 2

Category of material (Hazard class or division number and additional description, as appropriate)	Placard name	Placard de- sign section reference (§)
1.4	EXPLOSIVES 1.4	172.523
1.5	EXPLOSIVES 1.5	172.524
1.6	EXPLOSIVES 1.6	172.525
2.1	FLAMMABLE GAS	172.532
2.2	NON-FLAMMABLE GAS	172.528
3	FLAMMABLE	172.542
Combustible liquid	COMBUSTIBLE	172.544
4.1	FLAMMABLE SOLID	172.546
4.2	SPONTANEOUSLY COMBUSTIBLE	172.547
5.1	OXIDIZER	172.550
5.2 (Other than organic peroxide, Type B, liquid or solid, temperature controlled).	ORGANIC PEROXIDE	172.552
6.1 (other than material poisonous by inhalation)	POISON	172.554
6.2	(None)	
8	CORROSIVE	172.558
9	Class 9 (see § 172.504(f)(9))	172.560
ORM-D	(None)	





Table 1 – Placard Any Quantity

Note specifics for Division 5.2, 6.1 and Class 7

TABLE 1		
Category of material (Hazard class or division number and additional description, as appropriate)	Placard name	Placard de sign sectio reference (§)
1.1	EXPLOSIVES 1.1	172.52
1.2	EXPLOSIVES 1.2	172.52
1.3	EXPLOSIVES 1.3	172.52
2.3	POISON GAS	172.54
4.3	DANGEROUS WHEN WET	172.54
 Corganic peroxide, Type B, liquid or solid, temperature controlled). 	ORGANIC PEROXIDE	172.5
 6.1 (material poisonous by inhalation (see § 171.8 of this subchapter)). 	POISON INHALATION HAZARD	172.5
7 (Radioactive Yellow III label only)	RADIOACTIVE 1	172.5

- 4.3
- 5.2 (Organic peroxide, Type B, liquid or solid, temperature controlled).
- 6.1 (material poisonous by inhalation (see § 171.8 of this subchapter)).
- 7 (Radioactive Yellow III label only)





Placard for Table 2 Materials

(unless excepted)

454 kg (1,001 lbs.) aggregate gross weight or more must be placarded

Category of material (Hazard class or division number and additional description, as appropriate)	Placard name	Placard de- sign section reference (§)
1.4	EXPLOSIVES 1.4	172.523
1.5	EXPLOSIVES 1.5	172.524
1.6	EXPLOSIVES 1.6	172.525
2.1	FLAMMABLE GAS	172.532
2.2	NON-FLAMMABLE GAS	172.528
3	FLAMMABLE	172.542
Combustible liquid	COMBUSTIBLE	172.544
4.1	FLAMMABLE SOLID	172.546
4.2	SPONTANEOUSLY COMBUSTIBLE	172.547
5.1	OXIDIZER	172.550
5.2 (Other than organic peroxide, Type B, liquid or solid, temperature controlled).	ORGANIC PEROXIDE	172.552
6.1 (other than material poisonous by inhalation)	POISON	172.554
6.2	(None)	
8	CORROSIVE	172.558
9	Class 9 (see § 172.5 EXPLOSIVES (None)	172.560
ORM-D	(None)	<u> </u>
	*	_

§172.504(a)

- 15 -





Table 2 Exceptions

Less than 454 kg (1,001 lbs.) aggregate gross weight may be placarded, but is not required

Category of material (Hazard class or division number and additional description, as appropriate)	Placard name	Placard de sign sectio reference (§)
1.4	EXPLOSIVES 1.4	172.52
1.5	EXPLOSIVES 1.5	172.52
1.6	EXPLOSIVES 1.6	172.52
2.1	FLAMMABLE GAS	172.53
2.2	NON-FLAMMABLE GAS	172.52
3	FLAMMABLE	172.54
Combustible liquid	COMBUSTIBLE	172.54
4.1	FLAMMABLE SOLID	172.54
4.2	SPONTANEOUSLY COMBUSTIBLE	172.54
5.1	OXIDIZER	172.55
 Other than organic peroxide, Type B, liquid or solid, temperature controlled). 	ORGANIC PEROXIDE	172.55
6.1 (other than material poisonous by inhalation)	POISON	172.55
6.2	(None)	
8	CORROSIVE	172.55
9	Class 9 (see § 172.504(f)(9))	172.56
ORM-D	(None)	

§172.504(c)



- 16 -



Use of Dangerous Placard

The Dangerous Placard may be used if the shipment contains non-bulk packages of two or more classes, requiring different placards from Table 2.







Exceptions for Dangerous Placard



May be used when:

- 2 or more hazardous materials
- 2. Only Table 2 items
- 3. Non-Bulk Packages
- 4. < 2,205lbs. Aggregate gross weight loaded at one facility





Dangerous Placard Exception

MUST placard for hazard when:

- > 2,205 lbs or more of one class from Table 2
- Loaded at multiple facilities
- Can not use Dangerous Placard in these situations





Dangerous Placard is NOT allowed for Table 1

Category of material (Hazard class or division number and additional description, as appropriate)	Placard name	Placard de- sign section reference (§)
1.1	EXPLOSIVES 1.1	172.522
1.2	EXPLOSIVES 1.2	172.522
1.3	EXPLOSIVES 1.3	172.522
2.3	POISON GAS	172.540
4.3	DANGEROUS WHEN WET	172.548
 Organic peroxide, Type B, liquid or solid, to ture controlled). 	SROXIDE	172.552
6.1 (material poisonous by inhalation (1998) 179 this subchapter)).	VHALX ON HAZARD	172.555
7 (Radioactive Yellow III label only)		172.556





Subsidiary Placards



49 CFR only requires placards for three subsidiary hazards:

- Poison inhalation
- Uranium hexafluoride
- Dangerous when wet

Internationally if you must label you must placard!
No Exceptions





§172.505

Subsidiary Placards

Remember!
Subsidiary hazards
may be placarded.







Subsidiary Placards

Primary and subsidiary placards must display their appropriate class or division number.







Prohibited Placarding

No person may display a placard on a transport unit unless:

- Commodity is a hazardous material
- Placard represents the hazard
- Placard conforms w/ 49 CFR (Unless placarded IAW the IMDG Code or TDG)







WARNING

The following exceptions pertain to U.S. Federal Regulations. Some may not be suitable for international commerce.



Safety Administration



Exceptions Limited Quantities

Not required to be placarded



Exceptions Explosives

When more than one division of Class 1 Materials are shipped together, only the placard for the lowest division need be displayed.

Cite: 49CFR 172.504(f)(1)

Example-







Explosives


Class 1 materials shipped by vessels must have the compatibility group letter displayed.







Exceptions Division 1.4S



No required label means no required placard.

EX: Cartridges for Small Arms

172.504(f)(6)



Safety Administration




Placarding Exceptions

The following are excepted from the placard

requirements:

- Domestically Division 6.2
 Infectious Substances
 (Placard required for International Shipment)
- Limited Quantities
- Small/Excepted Quantities
- ORM-D
- Combustible Liquids in Non-Bulk Packaging



172.500(b)






Exceptions Residues

Placards not required domestically when:

- Non-bulk packages contain residue of a table 2 commodity.
- Internationally, packages containing residue shall be treated the same as when full unless steps have been taken to nullify the hazard.
- Bulk Packages must remain placarded



172.504(d)





Exceptions Combustible Liquids

FLAMMABLE placard may be used in place of a COMBUSTIBLE placard on cargo tanks, portable tanks and tanks only.




172.504(f)(2)(i)





Oxygen Exception Residues





May use the Oxygen Placard for domestic shipment only

172.504(f)(7)





Exceptions Class 9

Not required to be placarded when shipping Domestically

Note:

Bulk shipments must still be marked with the UN number.



172.504(f)(9)



Exceptions Division 6.1

For domestic shipments, text may be modified as shown on a Toxic material assigned to PG III



172.504(f)(10)



REMEMBER!!!

- The majority of these exceptions are for <u>Domestic</u>
 <u>Transportation Only</u>.
- International regulations may require placards or may not allow certain modifications.



Safety Administration



Display of Placards

- Must be securely attached
- On each side and each end
- Located clear of devices such as ladders, pipes, doors, etc..




172.516(c)



Display of Placards

- Away from marking which could reduce the effectiveness
- Displayed horizontally, reading from left to right.

























Placard Specifications

Placards must be:

- Able to withstand 30 day exposure to the elements
- Designed IAW 49 CFR 172.519
- Must measure at <u>LEAST</u> 250mm x 250mm (9.84 inches) by 49 CFR

Note: Regulations allow use of International placards and may be used in most situations.

Domestically Bulk Packages containing "Inhalation Hazards" Domestic placard must be used.

172.504 (f)



Placarding Empty or Unpurged Tanks

Tanks remain placarded unless:

- Cleaned and purged
- Reloaded with a non-hazardous material
- Another class of hazardous material







Visibility

- Each placard must be readily visible from the direction it faces
- Placards must be on each side and each end
- If coupled to another motor vehicle or rail car, visibility is not required from the direction it faces



172.516





Attaching Placards

- Attach securely
- Maintain in good condition
- Clear of advertising, dirt and water, and tarps, etc.
- Printed and displayed horizontally



172.516



Placarding – A Joint Responsibility

- It is the responsibility of shipper or carrier to make sure the correct placards are offered or affixed
- Since placarding is complex and crucial, do not rely solely on the information in this presentation
- Use the HMR and remember to refer to both placarding Table 1 and Table 2 and the exceptions in 172.504(f)





Where to Find More Information...



http://www.phmsa.dot.gov/hazmat



NEW: Hazardous Materials Transportation Training Modules

Free, interactive training modules available online: http://phmsa.dot.gov/hazmat





Hazardous Material Info-Center

1-800-HMR-4922

(1-800-467-4922)

E-mail: infocntr@dot.gov



- Obtain answers to HMR questions
- Request copies of Federal Register, special permits or training materials
- Fax on Demand



